

# Заглушка


## ГОСТ 17379-01

### Технические характеристики:

Условный диаметр: Ду 25-500

Температура: от -70 °С до +600 °С

Марка стали: сталь20, 09Г2С, AISI 304/316/321/316Ti/904L



<i>DN</i>	<i>D (mm)</i>	<i>T (mm)</i>	<i>K (mm)</i>	<i>Масса, кг</i>
25	32	2.0	15	0.1
		3.0		0.1
32	38	2.0	20	0.1
		3.0		0.1
40	45	2.5		0.1
		4.0		0.2
50	57	3.0	30	0.2
		5.0		0.3
65	76	3.5	40	0.4
		6.0		0.5
80	89	3.5	45	0.6
		8.0		0.9
100	108	4.0	50	0.7
		8.0		1.3
	114	4.0		0.7
		8.0		1.3
125	133	4.0	55	0.9
		8.0		2.0
		10.0		2.5
150	159	4.5	65	1.5
		8.0		2.3
		11.0		3.2
	168	4.5		1.5
		8.0		2.3
		11.0		3.2
200	219	8.0	75	4.6
		10.0		5.1
		12.0		6.1
250	273	7.0	85.0	4.9
		12.0		9.2
		14.0		11.0
		18.0		14.0
300	325	10.0	100	11.0
		12.0		13.0
		18.0		19.0
		20.0		21.0
350	377	10.0	115	16.0
		12.0		19.0
		16.0		26.0
		20.0		32.0
		24.0		38.0

400	426	10.0	125	19.0
		17.0		27.0
		16.0		30.0
		18.0		34.0
		22.0		42.0
		26.0		50.0
500	530	10.0	150	25.0
		16.0		40.0
		20.0		50.0
		22.0		55.0
		26.0		65.0
		30.0		75.0